

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	"5343473"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:36
L2	392	(preempt\$4 interrupt\$3 pre-empt\$4) with (resum\$3 continou\$3) with (packet message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:02
L3	223	2 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:03
L4	154	(preempt\$4 interrupt\$3) with (resum\$3 continou\$3) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:03
L5	91	L4 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:28
L6	132	3 not L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:07
L7	0	5 not L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:03
L15	4	L4 and @ad<"20001122" and storage adj area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:29

S1	12	beam same direction same (time adj stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:26
S2	834	beam same direction same longest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:27
S3	3	beam same direction same longest same packet same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:27
S4	64437	beam same direction same delaysame packet same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:27
S5	10	beam same direction same delay same packet same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:29
S6	24	beam same direction same time same packet same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:29
S7	26	beam same direction same tim\$3 same packet same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:30
S8	11	beam same tim\$3 same packet same stor\$3 and reuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:40

S9	2	"20020118640"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:43
S10	0	input with output with different with rate and 20020118640OQ	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:44
S11	9	input with output with different with rate and vOQ	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:51
S12	135	input with output with different with rate and (queue buffer) near5 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 12:51
S13	67	input with output with port with different with rate and (queue buffer) near5 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:03
S14	94	input with output with port with different with rate and (queue buffer) with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:14
S15	2	(beam and direction and longest and packet and stored).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:15
S16	0	(backlog and seletor and direction and longest).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:15

S17	2	(backlog and selector and direction and longest).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:32
S18	15	"6421349"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:02
S19	2	"20010007563"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:03
S20	653	output same input same rate same (different differ unequal) and (arbiter arbitrat\$ contention) same input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:08
S21	179	output same input same rate same (different differ unequal) and (arbiter arbitrat\$ contention) same input same (switch crossbar crosspoint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:09
S22	103	S21 and @ad<"20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:09
S23	95	S21 and @ad<"20000102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:01
S24	5	("6046982").URPN.	USPAT	OR	ON	2005/09/22 14:20
S25	18	("4823338" "4845710" "4933937" "5018133" "5138615" "5237661" "5321693" "5394402" "5473599" "5594732" "5617421" "5621734" "5636215" "5734865" "5768257" "5802056" "5805816" "5892922").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:25
S26	35	("6072772").URPN.	USPAT	OR	ON	2005/09/22 14:25

S27	28	("5274631" "5367520" "5500858" "5577035" "5717871" "5768257" "5790545" "5832303" "5896380" "5898687" "6044061" "6069893" "6072772" "6144635" "6147969" "6160812" "6185188" "6185221" "6188686" "6195335" "6212182" "6343066" "6349097" "6442172" "6515991" "6519225" "6542507" "6628646").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:30
S28	25	ouput adj5 rate and input adj5 rate	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:31
S29	57	ouput near5 rate and input near5 rate	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:32
S30	57	ouput near5 rate and input near5 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:32
S31	0	ouput near5 rate and input near5 rate and arbiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:32
S32	1	ouput near5 rate and input near5 rate and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:32
S33	0	ouput near5 rate and input near5 rate and cross adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:32
S34	0	ouput near5 rate and input near5 rate and cross adj bar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:33
S35	153	output near5 rate and input near5 rate and cross adj bar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:33

S36	1353	output near5 rate and input near5 rate and (arbiter arbitrat\$ contention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:33
S37	345	output near5 rate and input near5 rate and (arbiter arbitrat\$ contention) same (switch cross\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:38
S38	176	S37 and @ad<"20000102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:34
S39	10	("4706240" "4731878" "5091905" "5260905" "5267235" "5475383" "5513321" "5517495" "5581709" "5613069").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:51
S40	0	OFDM and mov43 with speed	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:52
S41	140	OFDM and mov\$3 with speed	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 14:54
S42	18	S41 and @ad<"20000627"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 15:10
S43	32	OFDM and mov\$3 with (speed velocity) same carrier	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 15:11
S44	34	OFDM and mov\$3 with (speed velocity) same carrier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:06
S45	3	OFDM and mov\$3 with (speed velocity) same space same (channel tone carrier sub-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:09
S46	72	OFDM and mov\$3 with (speed velocity) same (channel tone carrier sub-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:13

S47	6	S46 and @ad<"20000627"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 15:10
S48	6	S46 and @ad<"20000627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:13
S49	34	OFDM and mov\$3 with (speed velocity) same carrier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:13
S50	1361	OFDM and (speed velocity) same (channel tone carrier sub-carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:14
S51	277	S50 and @ad<"20000627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:16
S52	785	OFDM and (speed velocity) same (channel tone carrier sub-carrier) same (frequency space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:16
S53	157	S52 and @ad<"20000627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:16
S54	20	S52 and @ad<"20000627" and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:37
S55	2109	output with slower with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:37

S56	581	output with slower with input with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:45
S57	9	S56 and (arbiter arbitrat\$ contention) same (switch cross\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:57
S58	1401	output with slow\$3 with input with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:58
S59	12	S58 and (arbiter arbitrat\$ contention) same (switch cross\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:58
S60	742	output with faster with input with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:58
S61	8	S60 and (arbiter arbitrat\$ contention) same (switch cross\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:00
S62	185	(arbiter arbitrat\$ contention) same (switch cross\$4) same rate same input same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:38
S63	95	S21 and @ad<"20000107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 16:14

S64	22	((("6,507,817") or ("6,654,722") or ("5,915,001") or ("6,240,448") or ("6,282,511") or ("6,249,764") or ("6,600,736") or ("6,636,831") or ("6,687,341") or ("6,125,376"))).PN. or ((2002/0006126) or (2002/0164000) or (2002/0124100)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:19
S65	8	((("5926789") or ("6587822") or ("6314094") or ("5799063"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:48
S66	2	("5884032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:50
S67	2	("6366575").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:53
S68	2	("6044144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 17:31
S69	5	ARC and steven near2 nguyen.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:31
S70	13	plane and steven near2 nguyen.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:32
S71	32	label and steven near2 nguyen.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 17:32

S72	8	((("6064730") or ("6044144") or ("5848143") or ("5884032"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 17:38
S73	48	(arbiter contention controller) same control\$3 same output same rate same input same buffer same interval and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 12:19
S75	45	arbiter same switch and "370"/\$.ccls. and input near2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:01
S76	173	input adj2 rate same output adj2 rate same (switch cross\$5)	USPAT	OR	ON	2005/09/23 14:41
S77	38	S76 and "370"/\$.ccls.	USPAT	OR	ON	2005/09/23 13:59
S78	189	input with output with (switch crosspoint crossbar (cross adj (bar or pint))) and (dynamic var\$3 adjust\$3 increas\$3 modif\$5) with (grant permission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 14:55
S79	101	xon with xoff and (buffer queue) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:15
S80	0	("RE38309").URPN.	USPAT	OR	ON	2005/09/27 08:14
S81	36	xon with xoff same (buffer queue) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:16
S82	1433	idle same (buffer queue) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:16
S83	312	interrupt\$3 same packet same (buffer queue) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:18

S84	171	S83 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:21
S85	385	(interrupt\$3 halt\$3 paus\$3 stop\$4) same (forward\$3 transmi\$5 send\$3) same packet same (buffer queue) same (switch crossbar crosspoint (cross adj (bar point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:21
S86	388	(interrupt\$4 halt\$3 paus\$3 stop\$4) same (forward\$3 transmi\$5 send\$3) same packet same (buffer queue) same (switch crossbar crosspoint (cross adj (bar point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:05
S87	210	S86 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:26
S88	412	(interrupt\$4 preempt\$4) same (forward\$3 transmi\$5 send\$3) same (packet message) same (buffer queue) same (switch crossbar crosspoint (cross adj (bar point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:26
S89	237	S88 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:32
S90	141	S89 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:29
S91	316	control near3 (queue buffer) same (packet near2 (queue buffer)) same (switch crossbar crosspoint (cross adj (bar point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:30

S92	1	control near3 (queue buffer) same (packet near2 (queue buffer)) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:31
S93	8	control near3 (queue buffer) same ((packet message) near2 (queue buffer)) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:32
S94	78	control same ((packet message) near2 (queue buffer)) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:33
S95	47	S94 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:33
S96	342	control same ((packet message) same (queue buffer)) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:36
S97	193	S96 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:38
S98	146	S97 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:33
S99	75	S98 not S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:34

S10 0	31	packet same type same (queue buffer) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:38
S10 1	329	priority same (queue buffer) same (switch crossbar crosspoint (cross adj (bar point))) same (interrupt\$4 preempt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:38
S10 2	175	S101 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:06
S10 3	387994	S84 "715", "055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:04
S10 4	5	"6715055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:17
S10 5	644	(interrupt\$4 halt\$3 paus\$3 stop\$4) same (forward\$3 transmi\$5 send\$3) same packet same (buffer queue) and SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:06
S10 6	98	(interrupt\$4 halt\$3 paus\$3 stop\$4) with (forward\$3 transmi\$5 send\$3) with packet with (buffer queue) and SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:06
S10 7	334	S105 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:07

S10 8	66	S106 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:19
S10 9	2	"20030189922"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:17
S11 0	7927	FLOW adj control and SAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:19
S11 1	3650	S110 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:18
S11 2	342	FLOW adj control and Storage adj area adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:19
S11 3	28	S112 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:30
S11 4	48	preempt\$4 with primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:29
S11 5	12266	(preempt\$4 interrupt\$3) with (resum\$3 continou\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:29

S11 6	154	(preempt\$4 interrupt\$3) with (resum\$3 continou\$3) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:01
S11 7	91	S116 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:02